




ELEVATION



SECTION ON 'AA'



PLAN



SECTION 'BB' (PLINTH PROTECTION PLATFORM)

IMPORTANT NOTES:

1. ECONOMICAL FOUNDATION MAY BE ADOPTED. DEPTH OF FOUNDATION SHOULD BE BASED ON THE SOIL CONDITION AT SITE.
2. FLOORING SHOULD BE DONE USING CERAMIC TILES
3. SILL SLAB(75mm THICK) SHOULD BE PROVIDED AT THE BOTTOM OF ALL WINDOW OPENINGS WITH 250 mm EXTENSION ON EITHER SIDE.
4. PLINTH PROTECTION PLATFORM(750mm WIDE) SHOULD BE PROVIDED AROUND THE BUILDING
5. SLIGHT SLOPE SHOULD BE GIVEN FOR ROOF SLAB
6. WEATHERING COURSE SHOULD BE PROVIDED WITH REQUIRED SLOPE TO DRAIN RAIN WATER.
7. RWH STRUCTURE SHOULD BE CONSTRUCTED AWAY FROM SEPTIC TANK(IF ANY) AND IT CAN BE LINKED TO A NEAR BY WATER SOURCE.
8. 110 mm OD PVC PIPES MAY BE USED FOR RAINWATER DOWNFALL PIPES.
9. CONTINUOUS LINTEL SHOULD BE PROVIDED.

PLINTH AREA: 49.80 sq.m / 536 sq.ft
DRAWING NO:1-J10/SERD/DI.03.09.11

DIRECTORATE OF RURAL DEVELOPMENT AND PANCHAYAT RAJ

SCALE=1:100	DATE:	ALL DIMENSIONS ARE IN mm	
<i>Janay</i>	<i>S. S.</i>	AEE	JOB NO:10 DRAWING NO:1
<i>EE</i>	<i>Parthay</i>	SE	

TYPE DESIGN FOR RURAL LIBRARY BUILDING

PLAN, ELEVATION, AND SECTION

SCHEDULE OF JOINERY						
SL. NO.	TYPE	SIZE	BILL.	TOP	DESCRIPTION	REMARKS
1	D	1200	2100	-	2100 STEEL DOOR WITH LEAF & INSERT SHUTTER	TWO LEAVES
2	D2	750	2100	-	2100 PVC DOOR	SINGLE LEAF
3	W	1800	1300	800	2100 ALUM. BROWNE WITH LEAF & INSERT SHUTTER & 12MM BC. MDF BACK	TWO LEAVES
4	J	600	450	1850	2100 JOLLY	—